


DESIGNED FOR TODAY READY FOR TOMORROW

MTP6650 TETRA PORTABLE RADIO





MTP6650 TETRA PORTABLE RADIO DESIGNED FOR TODAY. READY FOR TOMORROW.







OVERCOMING TODAY'S CHALLENGES WHILE PREPARING FOR TOMORROW'S IS NO EASY TASK. ESPECIALLY WHEN IT COMES TO PUBLIC SAFETY.

The MTP6650 TETRA portable radio is designed to help you do both. With its enhanced coverage, built-in Bluetooth® 4.0 wireless technology, Wi-Fi readiness, expanded location services, and full car kit support, it's an exceptional radio now that will support your team well into the future.

Take coverage, for example. Now you can reach personnel even in marginal areas with Class 3 transmit power. Plus, you have the ability to optimise your coverage based on the type of environment in which your team is working. The new open standard SMA connector gives you the flexibility to use different antennas.

There's also Bluetooth® 4.0 for adding connected devices—such as a PTT button or a heart rate monitor—without adding wires.

And you can easily transform your portable radio into a virtual mobile using the full car kit

Whether you're guiding teams into an emergency or allocating day-to-day resources based on location, now you can do it more effectively.

The MTP6650 delivers additional Global Navigation Satellite System (GNSS) capabilities to Eastern Europe and Asia, enhancing GPS with GLONASS and BeiDou.

THE MTP6650 TETRA PORTABLE RADIO WILL SUPPORT YOUR TEAM NOW AND WELL INTO THE FUTURE.


Key Features:

- Class 3 transmit power
- Wideband 350-470 MHz
- SMA connector
- Bluetooth® 4.0 wireless technology
- Full car kit support
- GPS, BeiDou and GLONASS
- 2W audio output
- Advanced noise suppression
- microSD card
- Large 2" display

- Simple and intuitive user interface
- Rated IP68 and MIL-STD 810G
- Greater than 16 hours battery life
- Wi-Fi hardware ready









EXTEND YOUR RANGE.

IN AN EMERGENCY, YOU CAN'T AFFORD TO BE LET DOWN BY POOR COVERAGE.

So rely on the enhanced coverage of the MTP6650 TETRA portable radio instead. Send voice and data messages and make emergency calls in marginal areas with the help of Class 3 transmit power. Optimise coverage using the new SMA connector, which gives you the ability to switch antennas based on the environment in which your team is working, or when the radio is worn under a protective vest. And be able to reach your team inside buildings due to its high receive sensitivity.

Wherever it's deployed, the MTP6650 puts you in control. When you need to increase your coverage, choose a high power setting. When you want to preserve battery life, toggle to a lower one.



WORK WIRELESSLY.

WITH BLUETOOTH® 4.0 WIRELESS TECHNOLOGY, YOU CAN EQUIP YOUR TEAM WITH THE LATEST WIRELESS SOLUTIONS.

Connect to multiple devices—such as audio, PTT, and sensors—and enjoy the freedom of using the radio without being wired to it.

For example, pair the MTP6650 TETRA portable radio with a wireless PTT button that can be activated without having to reach for the radio. Then, hide the radio in a backpack or underneath clothing for covert operations. Bluetooth® 4.0 also enables partners to develop new collaborative solutions, including biometric sensors that can monitor vital signs. The possibilities are practically endless.







CREATE A VIRTUAL MOBILE.

TODAY'S SHRINKING BUDGETS REQUIRE SMARTER MOBILE SOLUTIONS.

Turn your MTP6650 TETRA portable radio into a virtual mobile with the simple addition of the MTP6000 Series Car Kit. Then enjoy hands-free operation along with in-car charging and expanded coverage.

The kit uses the car's own battery, so you can charge your portable on the go without slowing down. With the MTP6650 and a car kit, there's no need to buy an expensive mobile radio, or the filters, switches, and extra batteries one requires. Not to mention incurring the additional installation time and cost.









MANAGE EVERYONE, EVERYWHERE.

OPTIMISING RESOURCES AND IMPROVING SAFETY BEGIN WITH KNOWING WHERE EVERYONE IS.

So we designed the MTP6650 TETRA portable radio with the latest GNSS, providing access to global services such as GPS, GLONASS, and BeiDou for enhanced location services, improving accuracy and performance, and an integrated RFID solution for asset management and in-building location. With accurate location data for all personnel, you can mobilise teams closest to an incident. Ensure that critical messages get to the right people. And ultimately, shorten emergency response times.

Knowing their location - outside buildings via GNSS and inside buildings via RFID or BT 4.0 LE - helps keep personnel safe, too. You know precisely where to send help if people are in trouble, whether they activate their emergency alert manually or it triggers the automatic "man down" sensor.

Utilising the integrated RFID solution allows you to implement ISO 55000 asset management systems to get the most out of your investment.





HEAR AND BE HEARD.

OUT ON PATROL, THE ABILITY TO COMMUNICATE CLEARLY CAN BE THE DIFFERENCE BETWEEN LIFE AND DEATH.

The MTP6650 makes sure you can hear and be heard even when sirens are blaring thanks to 2W audio output and advanced noise suppression technology. With its Slimport speaker, you receive an even distribution of sound all around the radio wherever it's being worn. Listen at full volume using the speaker or audio accessories, and experience the clarity you depend on. At the same time, an intelligent microphone eliminates the need for audio profiles and provides wide dynamic range, making sure your message gets across in the most demanding environments.



KEEP INFORMATION AT HAND.

ACCESS DAILY BRIEFINGS, ROUTE MAPS, PICTURES OF SUSPECTS OR MISSING CHILDREN, AND MORE.

The microSD card slot lets you easily expand storage and keep critical information at your fingertips, so it's always there when you need it. Or, use the microSD card slot to boost security, delivering end-to-end encryption for those who require the ultimate in protection.









Man-Down feature activates emergency alerting based on motion detection and incline angle threshold settings Motorola GCAI rugged side connector for audio accessories. Emergency alert button Status indicator Programmable key Large, glove friendly PTT with enhanced tactality Programmable key Automatic High performance audio keypad backlit based on Motorola Slimport technology Rugged product design with IP68 submersibility Bottom microphone







MTP6650 ACCESSORIES

CHOOSE FROM A VARIETY OF MOTOROLA ORIGINAL™ ACCESSORIES DESIGNED, TESTED AND CERTIFIED TO OPTIMISE THE PERFORMANCE OF YOUR MTP6650.

MTP6000 SERIES CAR KIT

Transform the MTP6650 portable radio into a virtual mobile radio with a wide range of mobile accessories, including a variety of microphones, speakers, remote PTT options, telephone style handset, alarm relay and emergency footswitch.



INTEGRATED BLUETOOTH®

The MTP6650 has Bluetooth 4.0, which enables connectivity to a variety of wireless accessories. Our exclusive Operations Critical Wireless accessories handle loud environments, and an optional wireless PTT seamlessly links to any accessory. Just put the PTT in a pocket or on a lapel and connect instantly.



IMPRES™ AUDIO ACCESSORIES

Connect an IMPRES audio accessory, and the MTP6650 identifies it automatically. Whether it's a Remote Speaker Microphone or a Surveillance Kit, your radio assigns the correct profile to optimise audio performance. The IMPRES large speaker microphone matches the high-powered speaker on your radio so you can hear clearly even in high noise environments. What's more, whether you speak loudly or quietly, directly into or away from the microphone, with IMPRES, the volume adjusts automatically, providing clear audio in all environments.







MTP6650 SPECIFICATIONS

GENERAL				
Audio Output	2W			
Keypad	Automatic keypad backlight			
	4 direction navigation key			
	3 selection keys			
	4 x 3 keypad			
One Touch Buttons	Single button activation for multiple functions			
Controls	Large PTT button with enhanced tactility			
	Emergency Button			
	Programmable multi-function rotary switch			
	2 programmable side keys			
Battery Options	Battery Duty Cycle: 1650mAH 5/5/90 1650mAH 5/35/60 2150mAH 5/5/90 2150mAH 5/35/60	Class 4 >16hr >12hr >21hr >16hr	Class 3L >15hr >11hr >20hr >15hr	Class 3 >14hr >10.5hr >18.5hr >14hr
Additional Ctarage	IMPRES (3400)mAH* Micro SD card (up to 3	CD oddi+	ional aana	i+./**
Additional Storage SIZE & WEIGHT	Micro 3D card (up to 3	ZGB auuri	лопат сарас	пцу
Height	132mm			
Width	59mm			
Depth	34mm (with STD Batte	rv)		
Weight with STD Battery	292g (with 80mm stub		a)	
RF SPECIFICATIONS	_ Loug (With oom oran	ey arresini	<u>α,</u>	
Frequency Bands	350-470 MHz			
Transmitter RF Power	Class 3, 3L & Class 4			
Adaptive Power Control	Per EN 300 392-2			
Receiver Class	A and B			
Receiver Static Sensitivity	-116dBm (min); -118dB	3m (typical)	
Receiver Dynamic Sensitivity	-107 dBm (min); -109 d	IBm (typica	al)	
DMO REPEATER SERVICES				
ETSI type 1A DMO Repeater for	channel efficient opera	ition		
Repeats DMO voice and tone si	gnalling on selected tall	kgroup		
Repeats SDS and Status messa	ging on selected talkgro	oup		
Transmission of Repeater Prese	nce Signal			
Emergency Call (Pre-emptive Pr	ority Call)			
Monitoring of and participation	in calls whilst in Repea	ter mode		

LOCATION SERVICES		
000 T 11 0 11 11	-162 dBm (guaranteed)	
GPS Tracking Sensitivity	-163 dBm (typical)	
GPS Accuracy	< 5 m (probable at -130dBm)	
Protocols	ETSI LIP, Motorola LRRP	
GNSS SPECIFICATIONS		
Constellation Support	GPS, GLONASS, BeiDou	
Tracking Sensitivity	-130dBm (Typical)	
Horizontal Accuracy	< 2 m (Typical)	
TTFF Cold Start	< 60 sec (Typical)	
TTFF Hot Start	< 10 sec (Typical)	
LICENSED OPTIONS		
	TETRA Enhanced Data Service (TEDS)	
	Multi-Slot Packet Data (MSPD)	
	WAP Browser	
	WAP Push Service	
	Bluetooth 4.0 & 2.1 Support No v	
	GNSS (GPS, BeiDou, GLOSNASS)	
	Wi-Fi*	
0.6	Call Out	
Software upgrade optional features	Enhanced Security: OTAR/DMO SCK	
Todatures	Air interface encryption	
	End to End Encryption Options	
	Permanent disable	
	Temporary disable	
	RUA/RUI	
	Man-Down feature	
	Class 3 or 3L transmit power	
	DMO Repeater	
SECURITY SERVICES		
Authentication	Infrastructure initiated and made mutual by radio terminal	
Air Interface Encryption - Algorithms	TEA1, TEA2, TEA3	
Protocols - Security Classes	Class 1 (Clear), Class 2 (SCK), Class 3 (GCK)	
End to End Encryption	Enhanced End to End Encryption with OTAK supported through AES128 or AES256 CRYPTR microSD	



MAIN VOICE SERVICES

MTP6650 SPECIFICATIONS

DATA SERVICES			
	STATUS messaging in TMO & DMO		
Short Data	SDS messaging in TMO & DMO		
	Short Data applications		
TNP1	Simultaneous operation of Packet Data and Short Data Services over a common Peripheral Equipment Interface (PEI)		
AT Commands	Full Set of AT Commands (including Voice Control)		
Radio Fleet Management	Compatible with Motorola Integrated Terminal Management (iTM) solution		
USER INTERFACE			
	Large 2" QVGA with 262K vivid colours		
Display	Backlight Flip screen, large icons and scalable text font options		
	Screen saver gif image & text (user defined)		
	Universal time display		
Multiple languages			
Keypad lock	Keypad and rotary lock		
Talkgroup Management	User friendly, flexible, efficient, fast and efficient interface		
Favourite Folders	Up to 3 (to store any favourite talkgroup)		
Menu	Customisable to user needs		
	Menu shortcuts		
	Menu configuration		
Contacts management	Cellular feature phone style (rapid search)		
Multiple dialling methods	User selects how to dial		
Fast, flexible call response	Private call response to a group call via One Touch Button		
Vibrate Alert and multiple ring tones			
Message manager	Cellular feature phone style (flexible)		
Text message list	20		
Intelligent keypad text input			
Status list	400 alias messages		
Country/Network Code List	100		
Scan lists	40 lists of 20 groups		
Covert Mode			

Full Duplex	TMO: Private, PABX, PSTN, Emergency	
Half Duplex	TMO: Private, Group, Emergency	
Talkgroup Management - DMO	Private, Group, Emergency	
	Inter-MNI, Gateway, Repeater	
Dialling	Direct, Scroll, Speed, One touch button/key, Alpha Search, Call History Redial	
Emergency call (user customised)	Tactical: Emergency Group Call to ATTACHED talkgroup	
	Non-Tactical: Emergency Group Call to DEDICATED talkgroup	
	Individual: Emergency Call to PREDEFINED party (half/full duplex)	
	HOT MIC: Allows user to talk without needing to press PTT (user enabled)	
Status Message	DMO to TMO: Sent to dispatch console (user enabled)	
Preemptive Priority Calls	Enter DMO emergency (with/without gateway) or enter TMO emergency	
PTT Double Push		
ENVIRONMENTAL SPECIFIC	ATIONS	
Operating Temperature °C	-30 to +60	
Storage Temperature °C		
otorago romporataro o	-40 to +85	
Humidity	-40 to +85 ETSI 300 019-1-7 class 7.3E	
	_ · · · · · · · ·	
Humidity Dust and Water Ingress	ETSI 300 019-1-7 class 7.3E	
Humidity Dust and Water Ingress Protection	ETSI 300 019-1-7 class 7.3E IP68, IP67, IP66, IP65 per IEC 60529	
Humidity Dust and Water Ingress Protection Shock, drop and vibration	ETSI 300 019-1-7 class 7.3E IP68, IP67, IP66, IP65 per IEC 60529 ETSI 300-019 1-7 class 5M3	
Humidity Dust and Water Ingress Protection Shock, drop and vibration RECOMMENDED SERVICES	ETSI 300 019-1-7 class 7.3E IP68, IP67, IP66, IP65 per IEC 60529 ETSI 300-019 1-7 class 5M3	
Humidity Dust and Water Ingress Protection Shock, drop and vibration RECOMMENDED SERVICES Service from the Start with Con	ETSI 300 019-1-7 class 7.3E IP68, IP67, IP66, IP65 per IEC 60529 ETSI 300-019 1-7 class 5M3 prehensive Coverage***	
Humidity Dust and Water Ingress Protection Shock, drop and vibration RECOMMENDED SERVICES Service from the Start with Con ACCESSORIES	ETSI 300 019-1-7 class 7.3E IP68, IP67, IP66, IP65 per IEC 60529 ETSI 300-019 1-7 class 5M3 prehensive Coverage***	
Humidity Dust and Water Ingress Protection Shock, drop and vibration RECOMMENDED SERVICES Service from the Start with Con ACCESSORIES SMA Antennas (short stubby, lo Coloured rubber antenna ring la	ETSI 300 019-1-7 class 7.3E IP68, IP67, IP66, IP65 per IEC 60529 ETSI 300-019 1-7 class 5M3 prehensive Coverage***	

Various carry options
Audio headsets

Earpieces Full Car Kit

Remote speaker microphones

USB programming and data cables

^{*} Availability subject to future software release. ** Micro SD card slot is either Extended applications or End to End Encryption. *** Availability may vary by country. Please check with your local Motorola representative for full details.



For more information, please visit: MotorolaSolutions.com/MTP6650

MOTOROLA, MOTO, MOTOROLA SOLUTIONS and the Stylized M Logo are trademarks or registered trademarks of Motorola Trademark Holdings, LLC and are used under license. All other trademarks are the property of their respective owners. ©2017 Motorola, Inc. All rights reserved. 04-2017

